





Water resource assessment for the Southern Gulf catchments

A report from the CSIRO Southern Gulf Water Resource Assessment for the National Water Grid

Editors: Ian Watson, Caroline Bruce, Seonaid Philip, Cuan Petheram and Chris Chilcott



ISBN 978-1-4863-2081-3 (print)

ISBN 978-1-4863-2082-0 (online)

Citation

Watson I, Bruce C, Philip S, Petheram C and Chilcott C (eds) (2024) Water resource assessment for the Southern Gulf catchments. A report from the CSIRO Southern Gulf Water Resource Assessment for the National Water Grid. CSIRO, Australia.

Chapters should be cited in the format of the following example: Philip S, Watson I, Petheram C and Bruce C (2024) Chapter 1: Preamble. In: Watson I, Bruce C, Philip S, Petheram C, and Chilcott C (eds) (2024) Water resource assessment for the Southern Gulf catchments. A report from the CSIRO Southern Gulf Water Resource Assessment for the National Water Grid. CSIRO, Australia.

Copyright

© Commonwealth Scientific and Industrial Research Organisation 2024. To the extent permitted by law, all rights are reserved and no part of this publication covered by copyright may be reproduced or copied in any form or by any means except with the written permission of CSIRO.

Important disclaimer

CSIRO advises that the information contained in this publication comprises general statements based on scientific research. The reader is advised and needs to be aware that such information may be incomplete or unable to be used in any specific situation. No reliance or actions must therefore be made on that information without seeking prior expert professional, scientific and technical advice. To the extent permitted by law, CSIRO (including its employees and consultants) excludes all liability to any person for any consequences, including but not limited to all losses, damages, costs, expenses and any other compensation, arising directly or indirectly from using this publication (in part or in whole) and any information or material contained in it.

CSIRO is committed to providing web accessible content wherever possible. If you are having difficulties with accessing this document, please contact csiroenquiries@csiro.au.

CSIRO Southern Gulf Water Resource Assessment acknowledgements

This report was funded through the National Water Grid's Science Program, which sits within the Australian Government's Department of Climate Change, Energy, the Environment and Water.

Aspects of the Assessment have been undertaken in conjunction with the Northern Territory (NT) and Queensland governments.

The Assessment was guided by two committees:

- i. The Governance Committee: CRC for Northern Australia/James Cook University; CSIRO; National Water Grid (Department of Climate Change, Energy, the Environment and Water); Northern Land Council; NT Department of Environment, Parks and Water Security; NT Department of Industry, Tourism and Trade; Office of Northern Australia; Queensland Department of Agriculture and Fisheries; Queensland Department of Regional Development, Manufacturing and Water
- i. The Southern Gulf catchments Steering Committee: Amateur Fishermen's Association of the NT; Austral Fisheries; Burketown Shire; Carpentaria Land Council Aboriginal Corporation; Health and Wellbeing Queensland; National Water Grid (Department of Climate Change, Energy, the Environment and Water); Northern Prawn Fisheries; Queensland Department of Agriculture and Fisheries; NT Department of Environment, Parks and Water Security; NT Department of Industry, Tourism and Trade; Office of Northern Australia; Queensland Department of Regional Development, Manufacturing and Water; Southern Gulf NRM

Responsibility for the Assessment's content lies with CSIRO. The Assessment's committees did not have an opportunity to review the Assessment results or outputs prior to their release.

This report was reviewed by Mr Mike Grundy (Independent consultant). Individual chapters were reviewed by Dr Peter Wilson, CSIRO (Chapter 2); Dr Andrew Hoskins, CSIRO (Chapter 3); Dr Brendan Malone, CSIRO (Chapter 4); Dr James Bennett, CSIRO (Chapter 5); Dr Nikki Dumbrell, CSIRO (Chapter 6); Mr Darran King, CSIRO (Chapter 7). The material in this report draws largely from the companion technical reports, which were themselves internally and externally reviewed.

For further acknowledgements, see page xxviii.

Acknowledgement of Country

CSIRO acknowledges the Traditional Owners of the lands, seas and waters of the area that we live and work on across Australia. We acknowledge their continuing connection to their culture and pay our respects to their Elders past and present.

Photo

Saltwater Arm, a tributary of the Albert River. This view typifies the tidal rivers and estuaries along the southern coast of the Gulf of Carpentaria. Source: Shutterstock

Appendices



Appendix A

Assessment products

More information about the Southern Gulf Water Resource Assessment can be found at https://www.csiro.au/southerngulf. The website provides readers with a communications suite including factsheets, multimedia content, FAQs, reports and links to other related sites, particularly about other research in northern Australia.

In order to meet the requirements specified in the contracted 'Timetable for the Services', the Assessment provided the following key deliverables:

- Technical reports present scientific work at a level of detail sufficient for technical and scientific experts to reproduce the work. Each of the activities of the Assessment has at least one corresponding technical report.
- The catchment report (this report) synthesises key material from the technical reports, providing well-informed but non-scientific readers with the information required to make decisions about the opportunities, costs and benefits associated with water resource development.
- A summary report is provided for a general public audience.
- A factsheet provides key findings for a general public audience.

This appendix lists all such deliverables, plus those jointly delivered for the concurrent Victoria River Water Resource Assessment.

Please cite as they appear.

Methods report

CSIRO (2021) Proposed methods report for the Southern Gulf catchments. A report from the CSIRO Southern Gulf Water Resource Assessment for the National Water Grid Authority. CSIRO, Australia.

Technical reports

- Devlin K (2023) Pump stations for flood harvesting or irrigation downstream of a storage dam. A technical report from the CSIRO Victoria and Southern Gulf Water Resource Assessments for the National Water Grid. CSIRO, Australia.
- Devlin K (2024) Conceptual arrangements and costings of hypothetical irrigation developments in the Victoria and Southern Gulf catchments. A technical report from the CSIRO Victoria and Southern Gulf Water Resource Assessments for the National Water Grid. CSIRO, Australia.
- Gibbs M, Hughes J and Yang A (2024) River model calibration for the Southern Gulf catchments. A technical report from the CSIRO Southern Gulf Water Resource Assessment for the National Water Grid. CSIRO, Australia.

- Gibbs M, Hughes J, Yang A, Wang B, Marvanek S and Petheram C (2024) River model scenario analysis for the Southern Gulf catchments. A technical report from the CSIRO Southern Gulf Water Resource Assessment for the National Water Grid. CSIRO, Australia.
- Hayward J (2024) Potential for farm-scale hybrid renewable energy supply options in the Victoria and Southern Gulf catchments. A technical report from the CSIRO Victoria and Southern Gulf Water Resource Assessments for the National Water Grid. CSIRO, Australia.
- Karim F, Kim S, Ticehurst C, Gibbs M, Hughes J, Marvanek S, Yang A, Wang B and Petheram C (2024) Floodplain inundation mapping and modelling for the Southern Gulf catchments. A technical report from the CSIRO Southern Gulf Water Resource Assessment for the National Water Grid. CSIRO, Australia.
- Lyons P, Barber M, Braedon P and Pert P (2024) Indigenous water values, rights, interests and development goals in the Southern Gulf Catchments: A literature review and implications for future research. A technical report from the CSIRO Southern Gulf Water Resource Assessment for the National Water Grid. CSIRO, Australia
- McJannet D, Yang A and Seo L (2023) Climate data characterisation for hydrological and agricultural scenario modelling across the Victoria, Roper and Southern Gulf catchments. A technical report from the CSIRO Victoria River and Southern Gulf Water Resource Assessments for the National Water Grid. CSIRO, Australia.
- Merrin L, Stratford D, Kenyon R, Pritchard J, Linke S, Ponce Reyes R, Buckworth R, Castellazzi P, Costin B, Deng R, Gannon R, Gao S, Gilbey S, Lachish S, McGinness H and Waltham N (2024) Ecological assets of the Southern Gulf catchments to inform water resource assessments. A technical report from the CSIRO Southern Gulf Water Resource Assessment for the National Water Grid. CSIRO, Australia.
- Motson K, Mishra A and Waltham N (2024) A review of water quality studies relevant to northern Australia. A technical report from the CSIRO Victoria and Southern Gulf Water Resource Assessments for the National Water Grid. CSIRO, Australia.
- Ponce Reyes R, Stratford D, Linke S, Merrin L, Kenyon R, Buckworth R, Deng RA, Hughes J, McGinness H, Pritchard J, Seo L and Waltham N (2024) Assessment of the potential ecological outcomes of water resource development in the Southern Gulf catchments. A technical report from the CSIRO Southern Gulf Water Resource Assessment for the National Water Grid. CSIRO, Australia.
- Raiber M, Taylor AR, Dupuy M, Priestley S, Barry K, Crosbie RS, Knapton A and Hodgson G (2024)
 Characterising groundwater resources of the Gilbert River Formation, Camooweal Dolostone and Thorntonia Limestone in the Southern Gulf catchments, Queensland and Northern Territory. A technical report from the CSIRO Southern Gulf Water Resource Assessment for the National Water Grid. CSIRO, Australia.
- Rider Levett Bucknall (2024) Water infrastructure-related costs for the Victoria and Southern Gulf catchments. A technical report from the CSIRO Victoria River and Southern Gulf Water Resource Assessments for the National Water Grid. CSIRO Australia

- Speed R and Vanderbyl T (2024) Regulatory requirements for land and water development in the Northern Territory and Queensland. A technical report from the CSIRO Victoria and Southern Gulf Water Resource Assessments for the National Water Grid. CSIRO, Australia.
- Thomas M, Philip S, Zund P, Stockmann U, Hill J, Gregory L, Watson I and Thomas E (2024) Soils and land suitability for the Southern Gulf catchments. A technical report from the CSIRO Southern Gulf Water Resource Assessment for the National Water Grid. CSIRO, Australia.
- Vanderbyl T (2021) Southern Gulf: Queensland water plans and settings. A technical report from the CSIRO Southern Gulf Water Resource Assessment for the National Water Grid. CSIRO, Australia.
- Waschka M and Macintosh A (2024) CSIRO Water Resource Assessments: Indigenous rights and interests in Queensland and the Northern Territory. A report from Barraband Consulting to CSIRO to inform the CSIRO Victoria, Roper and Southern Gulf Water Resource Assessments. CSIRO, Australia.
- Webster A, Jarvis D, Jalilov S, Philip S, Oliver Y, Watson I, Rhebergen T, Bruce C, Prestwidge D, McFallan S, Curnock M and Stokes C (2024) Financial and socio-economic viability of irrigated agricultural development in the Southern Gulf catchments. A technical report from the CSIRO Southern Gulf Water Resource Assessment for the National Water Grid. CSIRO, Australia.
- Yang A, Petheram C, Marvanek S, Baynes F, Rogers L, Ponce Reyes R, Zund P, Seo L, Hughes J, Gibbs M, Wilson PR, Philip S and Barber M (2024) Assessment of surface water storage options in the Victoria and Southern Gulf catchments. A technical report from the CSIRO Victoria River and Southern Gulf Water Resource Assessments for the National Water Grid. CSIRO Australia.

Catchment report

Watson I, Bruce C, Philip S, Petheram C and Chilcott C (eds) (2024) Water resource assessment for the Southern Gulf catchments. A report from the CSIRO Southern Gulf Water Resource Assessment for the National Water Grid. CSIRO, Australia.

Summary report

CSIRO (2024) The Southern Gulf Water Resource Assessment. A summary report from the CSIRO Southern Gulf Water Resource Assessment for the National Water Grid. CSIRO, Australia.

Factsheet on key findings

CSIRO (2024) The Southern Gulf Water Resource Assessment. Key messages of reports to the CSIRO Southern Gulf Water Resource Assessment for the National Water Grid. CSIRO, Australia.

Appendix B

Shortened forms

SHORT FORM	FULL FORM
ABS	Australian Bureau of Statistics
ACARA	Australian Curriculum, Assessment and Reporting Authority
AE	adult equivalent
AEP	annual exceedance probability
AHD	Australian Height Datum
ALA	Aboriginal Land Act 1991 (Qld)
ALRA	Aboriginal Land Rights (Northern Territory) Act 1976 (Cth)
AMTD	adopted middle thread distance
ANZECC	Australian and New Zealand Environment and Conservation Council
APSIM	Agricultural Production Systems sIMulator
ARMCANZ	Agriculture and Resource Management Council of Australia and New Zealand
ASC	Australian Soil Classification
AWC	available water capacity
AWRC	Australian Water Resources Council
BCR	benefit-to-cost ratio
вом	Bureau of Meteorology
СВА	cost-benefit analysis
CBR	cost-to-benefit ratio
CLA	Cambrian Limestone Aquifer
CLCAC	Carpentaria Land Council Aboriginal Corporation
СМВ	chloride mass balance
CMIP	Coupled Model Intercomparison Project
cv	coefficient of variation
DENR	Department of Environment and Natural Resources (NT)
DIDO	drive-in drive-out
DIWA	Directory of Important Wetlands in Australia
DN	Nominal Diameter
DNRME	Department of Natural Resources, Mines and Energy (Queensland)
DOGIT	deeds of grant in trust
EBITDA	earnings before interest, taxes, depreciation and amortisation
EGM96	Earth Gravitational Model 1996

SHORT FORM	FULL FORM
EIS	Environmental Impact Statement
ENSO	El Niño–Southern Oscillation
EOS	end of system
EPBC Act	Environment Protection and Biodiversity Conservation Act 1999 (Cth)
FIFO	fly-in fly-out
FSL	full supply level
FTE	full-time equivalent
GAB	Great Artesian Basin
GABORA	Great Artesian Basin and Other Regional Aquifers
GCM	global climate model
GCM-PS	global climate model – pattern scaled
GDE	groundwater-dependent ecosystem
GGNTAC	Gangalidda and Garawa Native Title Aboriginal Corporation
GM	gross margin
GRA	Gilbert River Aquifer
GRF	Gilbert River Formation
GVAP	gross value of agricultural production
GVIAP	gross value of irrigated agricultural production
HSD	health service district
IEO	Index of Education and Occupation
IER	Index of Economic Resources
ILUA	Indigenous Land Use Agreement
IPA	Indigenous Protected Area
IPCC	Intergovernmental Panel on Climate Change
IRR	internal rate of return
IRSD	Index of Relative Socio-Economic Disadvantage
IUCN	International Union for Conservation of Nature
JORC	Joint Ore Reserves Committee
LGA	local government area
MAR	managed aquifer recharge
MODIS	Moderate Resolution Imaging Spectroradiometer
NAWRA	Northern Australia Water Resource Assessment
n.d.	not dated
NEM	National Electricity Market
NGMA	Nicholson Groundwater Management Area
NPF	Northern Prawn Fishery
NPV	net present value

SHORT FORM	FULL FORM
NRM	Natural Resource Management
NT	Northern Territory
NWPS	North West Power System
O&M	annual operation and maintenance
PAW	plant available water
PAWC	plant available water capacity
PBC	Prescribed Body Corporate
PE	potential evaporation
PET	potential evapotranspiration
PHN	primary health network
QSNTS	Queensland South Native Title Services
RCC	roller compacted concrete
RNTBC	Registered Native Title Body Corporate
RoNA	rest of northern Australia
SA	South Australia
SA2	Statistical Area Level 2
SEIFA	Socio-Economic Indexes for Areas
SGG	soil generic group
SILO	Scientific Information for Land Owners
SOI	Southern Oscillation Index
SSP	Shared Socio-economic Pathway
SWAN	Surface Water Ambient Water Quality Network
SWL	standing water level
TDS	total dissolved solids
TraNSIT	Transport Network Strategic Investment Tool
UNESCO	United Nations Educational, Scientific and Cultural Organization
WA	Western Australia

Units

UNIT	DESCRIPTION
\$	dollars
%	per_cent
С	cents
cm	centimetre
d	day
dS	decisiemens
DS	dry season
GL	gigalitre
ha	hectare
kg	kilogram
km	kilometre
km²	square kilometre
kPa	kilopascal
kV	kilovolt
kW	kilowatt
L	litre
m	metre
m³	cubic metre
mASL	metres above sea level
mBGL	metres below ground level
mEGM86	metres (Earth Gravitational Model 1986)
mEGM96	metres (Earth Gravitational Model 1996)
mg	milligram
ML	megalitre
mm	millimetre
MWh	megawatt hour
s	second
t	metric tonne
У	year
*c	degrees Celsius

Appendix C

List of figures

Figure 1-1 Map of Australia showing Assessment area (Southern Gulf catchments) and other recent or ongoing CSIRO Assessments
Figure 1-2 Number of large dams constructed in Australia and northern Australia over time 8
Figure 1-3 Schematic of key components and concepts in the establishment of a greenfield irrigation development
Figure 1-4 The Southern Gulf catchments
Figure 2-1 Schematic diagram of key natural components and concepts in the establishment of a greenfield irrigation development
Figure 2-2 Surface geology of the Southern Gulf catchments
Figure 2-3 Physiographic units of the Southern Gulf catchments25
Figure 2-4 Major geological provinces of the Southern Gulf catchments
Figure 2-5 The soil generic groups (SGGs) of the Southern Gulf catchments produced by digital soil mapping
Figure 2-6 Cracking clay (brown Vertosol; SGG 9) Mitchell grass (Astrebla spp.) downs with whitewood (Elaeocarpus sp.) and gutta percha (Palaquium spp.) on the Armraynald Plain physiographic unit, east of the Leichhardt River
Figure 2-7 Brown Dermosol (SGG 2) buffel grass (<i>Cenchrus ciliaris</i>) open woodland with silver leaf box (<i>Eucalyptus pruinosa</i>) on the Armraynald Plain physiographic unit in the middle reaches of the Leichhardt River
Figure 2-8 Red sandy soil (SGG 6.1) open woodland of Darwin box (<i>Eucalyptus tectifica</i>), bauhinia (Bauhinia spp.) and Cooktown ironwood (<i>Erythrophleum chlorostachys</i>) near Doomadgee on the Armraynald Plain physiographic unit north of the Nicholson River
Figure 2-9 Level to gently undulating cracking clay soils of the Armraynald Plain suitable for broadacre irrigation
Figure 2-10 Soil profile of the brown Vertosol (SGG 9) sampled on the Armraynald Plain physiographic unit east of the Leichhardt River
Figure 2-11 (a) Surface soil pH (top 10 cm) of the Southern Gulf catchments as predicted by digital soil mapping and (b) reliability of the prediction
Figure 2-12 (a) Soil thickness of the Southern Gulf catchments as predicted by digital soil mapping and (b) reliability of the prediction
Figure 2-13 (a) Soil surface texture of the Southern Gulf catchments as predicted by digital soil mapping and (b) reliability of the prediction

Figure 2-14 (a) Soil permeability of the Southern Gulf catchments as predicted by digital soil mapping and (b) reliability of the prediction4	43
Figure 2-15 (a) Available water capacity in the upper 100 cm of the soil profile (AWC 100) of the Southern Gulf catchments as predicted by digital soil mapping and (b) reliability of the prediction	
Figure 2-16 (a) Surface rockiness in soils of the Southern Gulf catchments represented by presence or absence as predicted by digital soil mapping and (b) reliability of the prediction4	45
Figure 2-17 Historical rainfall, potential evaporation and rainfall deficit	47
Figure 2-18 Historical monthly rainfall (left) and time series of annual rainfall (right) in the Southern Gulf catchments at Mount Isa, Doomadgee, Gregory and Burketown	50
Figure 2-19 Historical monthly potential evaporation (PE) (left) and time series of annual PE (right) in the Southern Gulf catchments at Mount Isa, Doomadgee, Gregory and Burketown	51
Figure 2-20 (a) Coefficient of variation (CV) of annual rainfall and (b) the CV of annual rainfall plotted against mean annual rainfall for 99 rainfall stations around Australia	52
Figure 2-21 Runs of wet and dry years at Mount Isa, Doomadgee, Gregory and Burketown	54
Figure 2-22 Percentage change in rainfall and potential evaporation per degree of global warming for the 32 Scenario C simulations relative to Scenario A values for the Southern Gulf catchments	56
Figure 2-23 Spatial distribution of mean annual rainfall across the Southern Gulf catchments under scenarios (a) Cwet, (b) Cmid and (c) Cdry	56
Figure 2-24 (a) Monthly rainfall and (b) potential evaporation for the Southern Gulf catchments under scenarios A and C	57
Figure 2-25 Simplified schematic diagram of terrestrial water balance in the Southern Gulf catchments	60
Figure 2-26 Simplified regional hydrogeology of the Southern Gulf catchments	62
Figure 2-27 Two-dimensional conceptual schematic of the interconnected aquifer system and its variability	64
Figure 2-28 Gregory River at Riversleigh Road	65
Figure 2-29 Lawn Hill Gorge	66
Figure 2-30 The Gregory River receives groundwater discharge from the Cambrian Limestone Aquifer	67
Figure 2-31 Full extent of the Georgina Basin and Carpentaria Sub-basin of the Great Artesian Basin. Inset map shows full extent of Great Artesian Basin	68
Figure 2-32 Groundwater bore yields for major aquifers across the Southern Gulf catchments (69
Figure 2-33 Groundwater salinity for major aquifers in the Southern Gulf catchments	70
Figure 2-34 Annual recharge estimates for the Southern Gulf catchments	72

Figure 2-35 Summary of recharge statistics to outcropping areas of key hydrogeological units across the Southern Gulf catchments73	3
Figure 2-36 Spatial distribution of groundwater discharge classes including surface water – groundwater connectivity across the Southern Gulf catchments75	5
Figure 2-37 Modelled streamflow under natural conditions	5
Figure 2-38 Streamflow observation data availability in the Southern Gulf catchments 78	3
Figure 2-39 Median annual streamflow (50% exceedance) in the Southern Gulf catchments under Scenario A79)
Figure 2-40 (a) 20% and (b) 80% exceedance of annual streamflow in the Southern Gulf catchments under Scenario A)
Figure 2-41 Catchment area and elevation profile from the upper tributaries in each catchment to the mouth along the (a) Gregory–Nicholson River and (b) Leichhardt River	
Figure 2-42 Mean annual (a) rainfall and (b) runoff across the Southern Gulf catchments under Scenario A	L
Figure 2-43 Annual runoff at (a) 20%, (b) 50% and (c) 80% exceedance across the Southern Gulf catchments under Scenario A	
Figure 2-44 Total runoff across the Southern Gulf catchments under Scenario A showing (a) time series of annual runoff and (b) monthly runoff averaged across the catchments 82	<u>)</u>
Figure 2-45 Flood inundation map of the Southern Gulf catchments84	ļ
Figure 2-46 Flood inundation in the Southern Gulf catchments for a flood event of 1 in 38 annual exceedance probability (AEP) in March 202385	5
Figure 2-47 Peak flood discharge and annual exceedance probability (AEP) at (a) gauge 912107A (Nicholson River at Connolly's Hole), (b) gauge 912105A (Gregory River at Riversleigh) and (c) gauge 913007B (Leichhardt River at Floraville)86	
Figure 2-48 Minimum observed September streamflow at two stream gauge locations on the Gregory River	7
Figure 2-49 Minimum monthly flow over 132 years of simulation for the month of October 88	3
Figure 2-50 Instream waterhole evolution in a reach of the Flinders River)
Figure 2-51 The Leichhardt River near Kajabbi looking south towards the Isa highlands. In the highly seasonal climate of the Southern Gulf catchments, springs and persistent waterholes provide important ecological refugia during the dry season)
Figure 2-52 Location of river reaches containing permanent water in the Southern Gulf catchments90)
Figure 2-53 Accelerated erosion contributes sediment to streamflow92	<u>)</u>
Figure 2-54 Water quality samples for selected constituents on the Gregory River at Riversleigh (A912005A), Gunpowder Creek at Gunpowder (913006A) and Leichhardt River at Floraville Homestead (913007B)	,
HOTOGRIGAN IN ISTULIKI	4

Figure 3-1 Schematic diagram of key components of the living and built environment to be considered in establishing a greenfield irrigation development1	01
Figure 3-2 Conceptual diagram of selected ecological assets of the Southern Gulf catchments	.06
Figure 3-3 Estuarine crocodiles inhabit fresh and saltwater environments1	
Figure 3-4 Location of protected areas and important wetlands within the Southern Gulf catchments Assessment area10	.09
Figure 3-5 Regional ecosystem biodiversity status in the Queensland part of the Southern Gulf catchments1	
Figure 3-6 Brolgas flying into the sunset at Lake Moondarra1	17
Figure 3-7 Land subject to inundation (potential floodplain wetlands) and important wetlands the Southern Gulf catchments	
Figure 3-8 This saltpan area in northern Australia is typical in being located between mangrove and saltmarsh areas	
Figure 3-9 Australian bustards are common in grasslands and woodlands across northern Australia1	.23
Figure 3-10 Location of saltpans in the Southern Gulf catchments marine region1	24
Figure 3-11 The O'Shannassy River – one of the northern Australian rivers where catfish are found1	26
Figure 3-12 Modelled potential species distribution for fork-tailed catfish (<i>Neoarius graeffei</i>) in the Southern Gulf catchments1	
Figure 3-13 Magpie goose perched on a fallen tree branch	29
Figure 3-14 Distribution of species listed under the <i>Environment Protection and Biodiversity</i> Conservation Act 1999 and by the NT and Queensland governments in the Southern Gulf catchments	.30
Figure 3-15 Boundaries of the Australian Bureau of Statistics Statistical Area Level 2 (SA2) regions used for demographic data in this analysis1	.35
Figure 3-16 Land use classification for the Southern Gulf catchments1	39
Figure 3-17 Regions in the Northern Prawn Fishery and the North West Minerals Province $oldsymbol{1}$	43
Figure 3-18 Main commodity mineral occurrences and exploration tenements in the Southern Gulf catchments	
Figure 3-19 Local government areas and the Tropical North Queensland tourism region that statistics on tourism visitation are extracted from1	.50
Figure 3-20 Road rankings and conditions in the vicinity of the Southern Gulf catchments 1	53
Figure 3-21 Roads accessible to Type 2 vehicles in the vicinity of the Southern Gulf catchments minor roads are not classified	

Figure 3-22 Common configurations of heavy freight vehicles used for transporting agricultural goods in Australia
Figure 3-23 Road conditions and distance to market impact the economics of development in the Southern Gulf catchments
Figure 3-24 Mean speed achieved for freight vehicles on roads in the vicinity of the Southern Gulf catchments
Figure 3-25 Many roads are gravel in the Southern Gulf catchments, and often impassable in the wet season
Figure 3-26 Annual amounts of trucking in the Southern Gulf catchments and the locations of pastoral properties and ports
Figure 3-27 Electricity generation and transmission network and pipelines in the Southern Gulf catchments
Figure 3-28 Solar photovoltaic capacity factors in the Southern Gulf catchments162
Figure 3-29 Wind capacity factors in the Southern Gulf catchments
Figure 3-30 Location, type and volume of annual licensed surface water and groundwater entitlements across the Southern Gulf catchments
Figure 3-31 Exclusive Aboriginal lands and pastoral interests make up the majority of the Southern Gulf catchments
Figure 3-32 The extent of native title claims and determinations over the Southern Gulf catchments
Figure 3-33 Indigenous protected areas and other protected areas in the Southern Gulf catchments as of April 2020
Figure 3-34 Indigenous Land Use Agreements (ILUAs)
Figure 4-1 Schematic of agriculture and aquaculture enterprises as well as crop and/or forage integration with existing beef enterprises to be considered in the establishment of a greenfield irrigation development
Figure 4-2 Area (ha) of the Southern Gulf catchments mapped in each of the land suitability classes for 14 selected land use combinations (crop group × season × irrigation type)
Figure 4-3 Agricultural versatility index map for the Southern Gulf catchments
Figure 4-4 Climate comparisons of Southern Gulf catchments' sites with established irrigation areas at Kununurra (WA) and Mareeba (Queensland)
Figure 4-5 Annual cropping calendar for irrigated agricultural options in the Southern Gulf catchments
Figure 4-6 Soil wetness indices that indicate when seasonal trafficability constraints are likely to occur on sands, Kandosols (loamy sands) and Vertosols (high clay) with a Gregory climate for two thresholds (a) 80% and (b) 70% of the maximum plant available water capacity
Figure 4-7 Influence of planting date on rainfed grain sorghum yield at Gregory for a (a) Kandosol and (b) Vertosol

Figure 4-8 Influence of available irrigation water on grain sorghum yields for planting dates (a) 1 February and (b) 1 August, for a Vertosol with a Gregory climate	
Figure 4-9 Fluctuations in seedless watermelon prices at Melbourne wholesale markets from April 2020 to February 2023	n
Figure 4-10 Modelled land suitability for Crop Group 7 (e.g. sorghum (grain) or maize) using furrow irrigation in the (a) wet season and (b) dry season	
Figure 4-11 Sorghum (grain)	. 248
Figure 4-12 Modelled land suitability for mungbean (Crop Group 10) in the dry season using furrow irrigation and (b) spray irrigation	
Figure 4-13 Mungbean	. 250
Figure 4-14 Modelled land suitability for soybean (Crop Group 10) in the dry season using (a furrow irrigation and (b) spray irrigation	-
Figure 4-15 Soybean	. 253
Figure 4-16 Modelled land suitability for peanut (Crop Group 6) using spray irrigation in the wet season and (b) dry season	
Figure 4-17 Peanut	. 256
Figure 4-18 Modelled land suitability for cotton (Crop Group 7) using furrow irrigation in the wet season and (b) dry season	
Figure 4-19 Cotton	. 260
Figure 4-20 Modelled land suitability for Rhodes grass (Crop Group 14) using (a) spray irriga and (b) furrow irrigation	
Figure 4-21 Rhodes grass	. 264
Figure 4-22 Modelled land suitability for Cavalcade (Crop Group 13) in the wet season using spray irrigation and (b) furrow irrigation	
Figure 4-23 Lablab	. 268
Figure 4-24 Modelled land suitability for (a) cucurbits (e.g. rockmelon, Crop Group 3) using trickle irrigation in the dry season and (b) root crops such as onion (Crop Group 6) using spr irrigation in the wet season	-
Figure 4-25 Rockmelon	. 270
Figure 4-26 Modelled land suitability for (a) mango (Crop Group 1) and (b) lime (Crop Group both grown using trickle irrigation	-
Figure 4-27 Mango	. 273
Figure 4-28 Modelled land suitability for Indian sandalwood (Crop Group 15) grown using (a trickle or (b) furrow irrigation	-
Figure 4-29 Indian sandalwood and host plants	. 276
Figure 4-30 Black tiger prawns	280

Figure 4-31 Barramundi
Figure 4-32 Schematic of marine aquaculture farm
Figure 4-33 Land suitability in the Southern Gulf catchments for marine species aquaculture in (a) lined ponds and (b) earthen ponds
Figure 4-34 Land suitability in the Southern Gulf catchments for freshwater species aquaculture in (a) lined ponds and (b) earthen ponds
Figure 5-1 Schematic of key engineering and agricultural components to be considered in the establishment of a water resource and greenfield irrigation development
Figure 5-2 Hydrogeological units with potential for future groundwater resource development
Figure 5-3 Groundwater dependent ecosystems along Lawn Hill Creek
Figure 5-4 Thickness of the Georgina Basin in the Southern Gulf catchments
Figure 5-5 Hydrogeological cross-section through the Cambrian Limestone Aquifer in the Georgina Basin and south-west of the Southern Gulf catchments
Figure 5-6 Depth to standing water level (SWL) of the Cambrian Limestone Aquifer (CLA) 311
Figure 5-7 Location of the Undilla Sub-basin groundwater flow model in relation to the Southern Gulf catchments and portions of the model that coincide with the Lawn Hill Creek and Gregory subcatchments and Nicholson Groundwater Management Area
Figure 5-8 Depth to the top of the Gilbert River Aquifer (GRA)
Figure 5-9 South-west to north-east cross-section traversing the Great Artesian Basin in the Southern Gulf catchments
Figure 5-10 Depth to standing water level of the Gilbert River Aquifer (GRA) 316
Figure 5-11 Uncontrolled artesian flow from the Gilbert River Aquifer at the Burketown groundwater bore
Figure 5-12 Types of managed aquifer recharge
Figure 5-13 Managed aquifer recharge (MAR) opportunities for the Southern Gulf catchments independent of distance from a water source for recharge
Figure 5-14 (a) Managed aquifer recharge (MAR) opportunities in the Southern Gulf catchments within 5 km of major rivers and (b) aquifer underlying the MAR opportunity classes
Figure 5-15 Potential storage sites in the Southern Gulf catchments based on minimum cost per megalitre storage capacity
Figure 5-16 Potential storage sites in the Southern Gulf catchments based on minimum cost per megalitre yield at the dam wall
Figure 5-17 Julius Dam on the Leichhardt River
Figure 5-18 Southern Gulf catchments hydro-electric power generation opportunity map 330
Figure 5-19 Cumulative yield at 85% annual time reliability versus cumulative cost of water in \$/ML and change in the end-of-system (EOS) volume in the Southern Gulf catchments 335

Figure 5-20 Location of listed species, water-dependent assets and aggregated modelled habitat in the vicinity of the potential dam site on Gunpowder Creek dam AMTD 66 km and reservoir extent
Figure 5-21 Potential dam site on Gunpowder Creek AMTD 66 km: cost and yield at the dam wall
Figure 5-22 Location of listed species, water-dependent assets and aggregated modelled habitat in the vicinity of the potential dam site on the Gregory River AMTD 174 km 340
Figure 5-23 Potential dam site on Gregory River AMTD 174 km: cost and yield at the dam wall
Figure 5-24 Schematic cross-section of sheet piling weir
Figure 5-25 Rectangular ringtank and 500 ha of cotton in the Flinders catchment (Queensland)345
Figure 5-26 Suitability of land for large farm-scale ringtanks in the Southern Gulf catchments 346
Figure 5-27 Annual reliability of diverting annual system and reach target volumes for varying pump start thresholds
Figure 5-28 Annual reliability of diverting annual system and reach target volumes for varying pump start thresholds with annual diversion commencement flow requirement of 150 GL \dots 350
Figure 5-29 Annual reliability of diverting annual system and reach target volumes for varying pump start thresholds assuming pumping capacity of 10 days
Figure 5-30 Annual reliability of diverting annual system and reach target volumes for varying pump rates assuming a pump start threshold of 600 ML/day352
Figure 5-31 50% annual exceedance (median) streamflow relative to Scenario A in the Southern Gulf catchments for a pump start threshold of 600 ML/day and a pump capacity of 20 days 353
Figure 5-32 80% annual exceedance streamflow relative to Scenario A in the Southern Gulf catchments for a pump start threshold of 600 ML/day and a pump capacity of 20 days 354
Figure 5-33 Most economically suitable locations for large farm-scale gully dams in the Southern Gulf catchments
Figure 5-34 Suitability of soils for construction of gully dams in the Southern Gulf catchments
Figure 5-35 Reported conveyance losses from irrigation systems across Australia 369
Figure 5-36 Efficiency of different types of irrigation system
Figure 6-1 Schematic diagram of key components affecting the commercial viability of a potential greenfield irrigation development
Figure 6-2 Locations of the five dams used in this review
Figure 6-3 Trends in gross value of agricultural production (GVAP) in (a) Australia and (b) Oueensland over 40 years (1981–2021)

Figure 6-4 National trends for increasing gross value of irrigated agricultural production (GVIAP) as available water supplies have increased for (a) fruits, (b) vegetables, (c) fruits and vegetables combined, and (d) total agriculture
Figure 6-5 Queensland's north-west region used in the input—output (I–O) analyses relative to the Southern Gulf catchments Assessment area
Figure 7-1 Schematic diagram of the components where key risks can manifest when considering the establishment of a greenfield irrigation or aquaculture development 417
Figure 7-2 Locations of the river system modelling nodes at which flow–ecology dependencies were assessed (numbered) and the locations of hypothetical water resource developments in the Southern Gulf catchments
Figure 7-3 Riparian vegetation along the Leichhardt River – riparian zones are often more fertile and productive than surrounding terrestrial vegetation
Figure 7-4 Spatial heatmap of habitat-weighted changes in flow for sawfish, considering the assets important locations across the catchment
Figure 7-5 Habitat-weighted change in sawfish flow dependencies by scenario across model nodes
Figure 7-6 Habitat-weighted change in swimming, diving and grazing waterbirds flow dependencies by scenario across model nodes
Figure 7-7 Habitat-weighted change in floodplain wetlands flow dependencies by scenario across model nodes
Figure 7-8 Lake Moondarra near Mount Isa is used for urban water supply and is a popular water and recreational reserve
Figure 7-9 Mean change associated with each asset's important metrics across water harvesting increments of system target and pump-start threshold with no annual diversion commencement flow requirement and pump rate of 30 days
Figure 7-10 The invasion curve with biosecurity actions taken at various stages
Figure 7-11 Farm biosecurity signage available through www.farmbiosecurity.com.au 462
Figure 7-12 An extratidal flat on the Karumba Plain near Burketown, with white salt crystals either side of a shallow natural drainage line. Salt-tolerant samphire and mangrove species can be seen in the background
Figure 7-13 Example of salt-affected areas on the northern part of the Armraynald Plain 476

List of tables


Table 2-1 Soil generic groups (SGGs), descriptions, management considerations and correlatic to Australian Soil Classification (ASC) for the Southern Gulf catchments	
Table 2-2 Area and proportions covered by each soil generic group (SGG) in the Southern Gulf	
Table 2-3 Projected sea-level rise for the coast of the Southern Gulf catchments	57
Table 2-4 Streamflow metrics at selected gauging stations in the Southern Gulf catchments	77
Table 2-5 Summary of water quality data for the open Southern Gulf catchments sites, with values of minimum, median and maximum for each site and each water quality parameter	91
Table 3-1 Categories of biodiversity status of the Queensland regional ecosystems1	.12
Table 3-2 Freshwater, marine and terrestrial ecological assets with freshwater flow dependences in the Southern Gulf catchments1	l 16
Table 3-3 Nationally important wetlands in the Southern Gulf catchments 1	.18
Table 3-4 Definition of threatened categories under the Commonwealth <i>Environment</i> Protection and Biodiversity Conservation Act 1999, the NT wildlife classification system, and the Queensland Nature Conservation Act 1992	
Table 3-5 Major demographic indicators for the Southern Gulf catchments	.34
Table 3-6 Socio-Economic Indexes for Areas (SEIFA) scores of relative socio-economic advanta for the Southern Gulf catchments	_
Table 3-7 Key employment data for the Southern Gulf catchments 1	١37
Table 3-8 Value of agricultural production estimated for the Southern Gulf catchments and the value of agricultural production for Queensland for 2020–211	
Table 3-9 Indicative numbers for employment in different types of mining operations in the Southern Gulf catchments	L 4 5
Table 3-10 Resource and reserve data for several major deposits in and on the margins of the Southern Gulf catchments	
Table 3-11 Global water consumption in the mining and refining of selected metals 1	.48
Table 3-12 Overview of commodities (excluding livestock) annually transported into and out on the Southern Gulf catchments	
Table 3-13 Unallocated surface water in the Queensland part of the Southern Gulf catchment	
Table 3-14 Schools servicing the Southern Gulf catchments	68ء
Table 3-15 Number and percentage of unoccupied dwellings and population for the Southern Gulf catchments1	
Table 4-1 Land suitability classes based on FAO (1976–1985) as used in the Assessment 2	12

Table 4-2 Crop groups and individual land uses evaluated for irrigation (and rainted) potential
Table 4-3 Qualitative land evaluation observations in Southern Gulf catchments areas A to F shown in Figure 4-3
Table 4-4 Crop options for which performance was evaluated in terms of water use, yields and gross margins
Table 4-5 Soil water content at sowing, and rainfall for the 90-day period following sowing for three sowing dates, based on a Gregory climate on a Vertosol
Table 4-6 Performance metrics for broadacre cropping options in the Southern Gulf catchments: applied irrigation water, crop yield and gross margin (GM) for four environments
Table 4-7 Breakdown of variable costs relative to revenue for broadacre crop options 231
Table 4-8 Sensitivity of cotton crop gross margins (\$/ha) to variation in yield, lint prices and distance to gin
Table 4-9 Sensitivity of forage (Rhodes grass) crop gross margins (\$/ha) to variation in yield and hay price
Table 4-10 Performance metrics for horticulture options in the Southern Gulf catchments: annual applied irrigation water, crop yield and gross margin
Table 4-11 Sensitivity of watermelon crop gross margins (\$/ha) to variation in melon prices and freight costs
Table 4-12 Performance metrics for plantation tree crop options in the Southern Gulf catchments: annual applied irrigation water, crop yield and gross margin
Table 4-13 Likely annual irrigated crop planting windows, suitability and viability in the Southern Gulf catchments
Table 4-14 Sequential cropping options for Kandosols
Table 4-15 Production and financial outcomes from the different irrigated forage and beef production options for a representative property in the Southern Gulf catchments
Table 4-16 Summary information relevant to the cultivation of cereals, using sorghum (grain) as an example
Table 4-17 Summary information relevant to the cultivation of pulses, using mungbean as an example
Table 4-18 Summary information relevant to the cultivation of oilseed crops, using soybean as an example
Table 4-19 Summary information relevant to the cultivation of root crops, using peanut as an example
Table 4-20 Summary information relevant to the cultivation of cotton
Table 4-21 Rhodes grass production for hay over 1 year of a 6-year cycle

Table 4-22 Cavalcade production over a 1-year cycle267
Table 4-23 Summary information relevant to row crop horticulture production, with rockmelon as an example
Table 4-24 Summary information relevant to tree crop horticulture production, with mango as an example
Table 4-25 Summary information for Indian sandalwood production277
Table 4-26 Indicative capital and operating costs for a range of generic aquaculture development options
Table 4-27 Gross revenue targets required to achieve target internal rates of return (IRR) for aquaculture developments with different combinations of capital costs and operating costs. 290
Table 5-1 Summary of capital costs, yields and costs per ML supply, including operation and maintenance
Table 5-2 Opportunity-level estimates of the potential scale of groundwater resource development opportunities in the Southern Gulf catchments
Table 5-3 Summary of estimated costs for a 250 ha irrigation development using groundwater
Table 5-4 Mean annual groundwater balance for the Cambrian Limestone Aquifer (CLA) in the Undilla Sub-basin of the Georgina Basin for a 109-year climate sequence (1910–2019) and areas of the CLA that coincide with the Lawn Hill Creek and Gregory subcatchments and Nicholson Groundwater Management Area (NGMA)
Table 5-5 Potential dam sites in the Southern Gulf catchments examined as part of the Assessment
Table 5-6 Summary comments for potential dams in the Southern Gulf catchments 332
Table 5-7 Estimated construction cost of 3 m high sheet piling weir
Table 5-8 Effective volume after net evaporation and seepage for ringtanks of three mean water depths, under three seepage rates, near Century Mine in the Southern Gulf catchments
Table 5-9 Indicative costs for a 4000 ML ringtank357
Table 5-10 Annualised cost for the construction and operation of three ringtank configurations
Table 5-11 Equivalent annual cost per megalitre for two different capacity ringtanks under three seepage rates based on a climate station near the Century Zinc Mine in the Southern Gulf catchments
Table 5-12 Actual costs of four gully dams in northern Queensland
Table 5-13 Cost of three hypothetical large farm-scale gully dams of capacity 4 GL
Table 5-14 High-level breakdown of capital costs for three hypothetical large farm-scale gully

Table 5-15 Effective volumes and cost per megalitre for a 4 GL storage with different mean depths and seepage loss rates based on a climate station at the Century Zinc Mine in the Southern Gulf catchments
Table 5-16 Cost of construction and operation of three hypothetical 4 GL gully dams 364
Table 5-17 Equivalent annualised cost and effective volume for three hypothetical 4 GL gully dams with various mean depths and seepage loss rates based on climate data at Victoria River Downs Station in the Victoria catchment
Table 5-18 Summary of conveyance and application efficiencies
Table 5-19 Water distribution and operational efficiency as nominated in water resource plans for four irrigation water supply schemes in Queensland
Table 5-20 Application efficiencies for surface, spray and micro irrigation systems
Table 6-1 Types of questions that users can answer using the tools in this chapter 382
Table 6-2 Indicative capital costs for developing three irrigation schemes based on the most cost-effective dam sites identified in the Southern Gulf catchments
Table 6-3 Assumed indicative capital and operating costs for new off- and on-farm irrigation infrastructure
Table 6-4 Price irrigators can afford to pay for water, based on the type of farm, the farm water use and the farm annual gross margin (GM), while meeting a target 10% internal rate of return (IRR)
Table 6-5 Farm gross margins (GMs) required in order to cover the costs of off-farm water infrastructure (at the supplier's target internal rate of return (IRR))
Table 6-6 Water pricing required in order to cover costs of off-farm irrigation scheme development (dam, water distribution, and supporting infrastructure) at the investors target internal rate of return (IRR)
Table 6-7 Farm gross margins (GMs) required in order to achieve target internal rates of return (IRR), given various capital costs of farm development (including an on-farm water source) 393
Table 6-8 Equivalent costs of water per ML for on-farm water sources with various capital costs of development, at the internal rate of return (IRR) targeted by the investor
Table 6-9 Risk adjustment factors for target farm gross margins (GMs), accounting for the effects of the reliability and severity (level of farm performance in 'failed' years) of the periodic risk of water reliability
Table 6-10 Risk adjustment factors for target farm gross margins (GMs) accounting for the effects of reliability and the timing of periodic risks
Table 6-11 Risk adjustment factors for target farm gross margins (GMs), accounting for the effects of learning risks
Table 6-12 Summary characteristics of the five dams used in this review
Table 6-13 Summary of key issues and potential improvements arising from a review of recent dam developments

Table 6-14 Indicative costs of agricultural processing facilities
Table 6-15 Indicative costs of road and electricity infrastructure
Table 6-16 Indicative road transport costs between the Southern Gulf catchments and key markets and ports
Table 6-17 Indicative costs of community facilities
Table 6-18 Key 2021 data comparing the Southern Gulf catchments with the related I–O analysis region
Table 6-19 Regional economic impact estimated by I–O analysis for the total construction phase of an irrigated agricultural development based on estimated Type II multipliers determined from the north-west Queensland I–O models
Table 6-20 Estimated regional economic impact per year in the Southern Gulf catchments resulting from four scales of direct increase in agricultural output (rows) for the different categories of agricultural activity (columns) using the I–O model for north-west Queensland 413
Table 6-21 Estimated impact on annual household incomes and full-time equivalent (FTE) jobs within the Southern Gulf catchments resulting from four scales of direct increase in agricultural output (rows) for the various categories of agricultural activity (columns)
Table 7-1 Water resource development and climate scenarios explored in this ecology analysis 430
Table 7-1 Water resource development and climate scenarios explored in this ecology analysis 430 Table 7-2 Ecological assets used in the Southern Gulf catchments Water Resource Assessment and the different ecology groups used in this analysis
Table 7-2 Ecological assets used in the Southern Gulf catchments Water Resource Assessment
Table 7-2 Ecological assets used in the Southern Gulf catchments Water Resource Assessment and the different ecology groups used in this analysis
Table 7-2 Ecological assets used in the Southern Gulf catchments Water Resource Assessment and the different ecology groups used in this analysis
Table 7-2 Ecological assets used in the Southern Gulf catchments Water Resource Assessment and the different ecology groups used in this analysis
Table 7-2 Ecological assets used in the Southern Gulf catchments Water Resource Assessment and the different ecology groups used in this analysis



As Australia's national science agency and innovation catalyst, CSIRO is solving the greatest challenges through innovative science and technology.

CSIRO. Unlocking a better future for everyone.

Contact us

1300 363 400 +61 3 9545 2176 csiroenquiries@csiro.au csiro.au

For further information

Environment

Dr Chris Chilcott +61 8 8944 8422 chris.chilcott@csiro.au

Environment

Dr Cuan Petheram +61 467 816 558 cuan.petheram@csiro.au

Agriculture and Food

Dr Ian Watson +61 7 4753 8606 ian.watson@csiro.au